

*Correction*

Correction: Biomimetic Neuropeptide Y/collagen I/ β -tricalcium Phosphate Scaffold Mediated Macrophage Polarization and Vascularization for Bone Regeneration

Dazhi Yang^{1,§}, Zecai Chen^{1,§}, Shuo Tang², Jie Tan¹, Zhen Xu¹, Kun Huang¹, Cong He¹, Weiong Yi¹, Peng Luo^{1,*} and Weidong Han^{3,*}

¹Department of Orthopedics, The 6th Affiliated Hospital of Shenzhen University Health Science Center, 518052 Shenzhen, Guangdong, China

²Department of Orthopedics, The 8th Affiliated Hospital of Sun Yat-Sen University, 518000 Shenzhen, Guangdong, China

³Department of Pain, The 8th Affiliated Hospital of Sun Yat-Sen University, 518000 Shenzhen, Guangdong, China

[§]These authors contributed equally.

***Address for correspondence:** Peng Luo, Department of Orthopedics, The 6th Affiliated Hospital of Shenzhen University Health Science Center, 518052 Shenzhen, Guangdong, China. E-mail: gaidihu0308@sina.com; Weidong Han, Department of Pain, The 8th Affiliated Hospital of Sun Yat-Sen University, 518000 Shenzhen, Guangdong, China. E-mail: hanwd88@163.com.

Copyright policy: © 2026 The Author(s). Published by Forum Multimedia Publishing, LLC. This article is distributed in accordance with Creative Commons Attribution Licence (<http://creativecommons.org/licenses/by/4.0/>).

The article titled “Biomimetic Neuropeptide Y/collagen I/ β -tricalcium Phosphate Scaffold Mediated Macrophage Polarization and Vascularization for Bone Regeneration” was published in *European Cells & Materials*, Volume 55, pages 1–16. Fig. 3 of the originally published article was incorrect. The correct version of Fig. 3 is provided below. This correction does not affect the results or conclusions of the article. The underlying data remain unchanged and continue to fully support the original conclusions of the study.

Publisher’s Note: The relevant content in the original manuscript contained inaccuracies due to the authors’ oversight. Following a subsequent review, the authors proactively requested revisions, and the corresponding corrections have been made accordingly.

Editor’s Note: The Editor-in-Chief responsible for this correction was Martin Stoddart.

Published: 21st July 2026




Fig. 3 (Corrected). Evaluation of the angiogenic and osteogenic effects of the microporous scaffolds *in vitro*. (A) Scratch assay. (B) Tubeformation assay. (C) ALP staining results. (D) The quantification data of the migration rate showed in A. (E) Number of nodes showed in B. (F) The quantification data of the total length showed in B. (G) The quantification data of ALP positive area showed in C. * $p < 0.05$, ** $p < 0.01$, *** $p < 0.001$. ns, $p > 0.05$.